


B.PRO
CATERING SOLUTIONS



TRAY CLEARING TROLLEYS

The clearers – clever assistants by B.PRO Catering Solutions.

NEW PUSH

Dish return without chaos With tray clearing trolleys by B.PRO Catering Solutions.

Tray clearing trolleys quickly ensure order in self-service areas. In order to guarantee that dish return is executed safely even during the most chaotic rush hours, B.PRO tray clearing trolleys are made of high-quality stainless steel.

The welded frame construction guarantees maximum stability and durability with compact dimensions and top manoeuvrability. The standard wall guards protect units and furniture.



Optional equipment for added comfort.

The panelling creates a sleek look. It can be removed to facilitate cleaning and increase usage flexibility.

The best part is that it seamlessly integrates into the popular colour concept of the B.PRO BASIC LINE food serving trolley panelling by B.PRO Catering Solutions for a perfect overall appearance.

Upon request, the trolleys can be delivered with an ergonomical push handle made of hygienic stainless steel or additional push-through protection.



The **stainless-steel frame construction is securely welded** and therefore offers the highest levels of stability.



Stainless-steel tray supports with integrated push-through protection on both sides. The tray support frames can be completely removed.



Optional: An additional push-through protection at the back keeps trays securely in position.



Optional: Trolley top made of stainless steel with all-round railing for holding bottles and glasses. It is simply positioned on the frame construction and can therefore be easily removed without any tools for cleaning.

B.PRO TRAY CLEARING TROLLEYS



TAW 10

TAW 2 x 10

| Model | TAW 10 GN | TAW 10 EN | TAW 10 KN | TAW 2 x 10 GN | TAW 2 x 10 EN | TAW 2 x 10 KN |
|--------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|----------------------------------|---------------------------------|------------------------------------------------------------|----------------------------------|---------------------------------|
| Model | Tray clearing trolley, 1-piece, accessible from both sides | | | Tray clearing trolley, 2-piece, accessible from both sides | | |
| For trays | Gastronorm trays (530 x 325 mm) | Euronorm trays (530 x 370 mm) | Canteen trays (460 x 344 mm) | Gastronorm trays (530 x 325 mm) | Euronorm trays (530 x 370 mm) | Canteen trays (460 x 344 mm) |
| Dimensions L x W x H in mm | 468 x 673 x 1550 | 513 x 673 x 1550 | 487 x 607 x 1550 | 850 x 673 x 1550 | 940 x 673 x 1550 | 888 x 607 x 1550 |
| Support spacing | 125 mm | | | | | |
| Capacity | 10 GN trays | 10 EN trays | 10 KN trays | 20 GN trays | 20 EN trays | 20 KN trays |
| Load-bearing capacity / max. load-bearing cap. per support pair | 150 kg / 4.5 kg | | | | | |
| Castors | Synthetic castors, 125 mm dia., 4 steering castors, 2 of which have brakes | | | | | |
| Special features | Tray supports with integrated push-through protection on both sides, tray support frame completely removable | | | | | |
| Material | made of corrosion-resistant steel | | | | | |
| Order No. | 574 240 | 574 241 | 574 242 | 574 243 | 574 244 | 574 245 |



TAW 12

TAW 2 x 12

| Model | TAW 12 GN | TAW 12 EN | TAW 12 KN | TAW 2 x 12 GN | TAW 2 x 12 EN | TAW 2 x 12 KN |
|--------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|----------------------------------|---------------------------------|------------------------------------------------------------|----------------------------------|---------------------------------|
| Model | Tray clearing trolley, 1-piece, accessible from both sides | | | Tray clearing trolley, 2-piece, accessible from both sides | | |
| For trays | Gastronorm trays (530 x 325 mm) | Euronorm trays (530 x 370 mm) | Canteen trays (460 x 344 mm) | Gastronorm trays (530 x 325 mm) | Euronorm trays (530 x 370 mm) | Canteen trays (460 x 344 mm) |
| Dimensions L x W x H in mm | 468 x 673 x 1550 | 513 x 673 x 1550 | 487 x 607 x 1550 | 850 x 673 x 1550 | 940 x 673 x 1550 | 888 x 607 x 1550 |
| Support spacing | 100 mm | | | | | |
| Capacity | 12 GN trays | 12 EN trays | 12 KN trays | 24 GN trays | 24 EN trays | 24 KN trays |
| Load-bearing capacity / max. load-bearing cap. per support pair | 150 kg / 4.5 kg | | | | | |
| Castors | Synthetic castors, 125 mm dia., 4 steering castors, 2 of which have brakes | | | | | |
| Special features | Tray supports with integrated push-through protection on both sides, tray support frame completely removable | | | | | |
| Material | made of corrosion-resistant steel | | | | | |
| Order No. | 574 325 | 574 326 | 574 327 | 574 328 | 574 329 | 574 330 |

THE PANELLING: BRINGS COLOUR TO EVERYDAY LIFE.



The panelling sets for the B.PRO tray clearing trolleys can be used anywhere a privacy shield is desired. The sturdy side walls can be hooked in and unhooked easily. This makes cleaning easier, and the trolley can still be used without panelling.

In addition to stainless steel, 13 panelling colours offer a matching shade for any setting. And make every tray clearing trolley a real eye-catcher.


Perfect in function and easy on the eye: Tray clearing trolleys by B.PRO Catering Solutions.

The ingenious panelling


Simple to mount and just as simple to remove completely without tools.

B.PRO COLOURS

NEUTRAL COLOURS



Graphite black



Traffic grey B



Stone grey



Signal white

LIVING COLOURS



Broom yellow



Merlot red



Petrol green



Sea blue


FRESH COLOURS



Candy red



Neomint







Apple green



Lime

OPTIONS AND ACCESSORIES

| | Designation | For model | Order No. | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|------------------------------------|----|
|  | Side wall panelling on 2 sides, coloured Panelling parts can be completely removed for cleaning, thin sheet, electrolytically galvanised on both sides, powder-coated in various colours | TAW GN | 378 441 | |
| | | TAW EN | 378 442 | |
| | | TAW KN | 378 443 | |
|  | Side wall panelling on 2 sides, stainless steel Panelling parts can be completely removed for cleaning | TAW GN | 378 450 | |
| | | TAW EN | 378 451 | |
| | | TAW KN | 378 452 | |
|  | Side and rear wall panelling on 3 sides, coloured Panelling parts can be completely removed for cleaning, thin sheet, electrolytically galvanised on both sides, powder-coated in various colours | TAW 10 GN TAW 12 GN | 378 444 | |
| | | TAW 10 EN TAW 12 EN | 378 445 | |
| | | TAW 10 KN TAW 12 KN | 378 446 | |
| | | TAW 2 x 10 GN TAW 2 x 12 GN | 378 447 | |
| | | TAW 2 x 10 EN TAW 2 x 12 EN | 378 448 | |
| | | TAW 2 x 10 KN TAW 2 x 12 KN | 378 449 | |
| | | TAW 2 x 10 GN TAW 2 x 12 GN | 378 447 | |
|  | Side and rear wall panelling on 3 sides, stainless steel Panelling parts can be completely removed for cleaning | TAW 10 GN TAW 12 GN | 378 453 | |
| | | TAW 10 EN TAW 12 EN | 378 454 | |
| | | TAW 10 KN TAW 12 KN | 378 455 | |
| | | TAW 2 x 10 GN TAW 2 x 12 GN | 378 456 | |
| | | TAW 2 x 10 EN TAW 2 x 12 EN | 378 457 | |
| | | TAW 2 x 10 KN TAW 2 x 12 KN | 378 458 | |
|  | Stainless-steel trolley top with all-round railing Roof can be completely removed for cleaning, stainless steel | TAW 10 GN TAW 12 GN | 574 246 | |
| | | TAW 10 EN TAW 12 EN | 574 247 | |
| | | TAW 10 KN TAW 12 KN | 574 248 | |
| | | TAW 2 x 10 GN TAW 2 x 12 GN | 574 249 | |
| | | TAW 2 x 10 EN TAW 2 x 12 EN | 574 250 | |
| | | TAW 2 x 10 KN TAW 2 x 12 KN | 574 251 | |
|  | Push handle | all TAW | -- | |
| | | Additional push-through protection (stainless-steel rod) | TAW 10 and TAW 12 | -- |
| | | | TAW 2 x 10 KN and TAW 2 x 12 KN | -- |
|  | Castors, galvanised steel | all TAW | -- | |

TAW 10 GN with panelling on 2 sides, colour: lime

TAW 10 GN with panelling on 3 sides, stainless steel

TAW 2 x 10 GN with stainless-steel trolley top, all-round railing and push handle (shown with accessories)

THE B.PRO GROUP

Our customers are as diverse and varied as our portfolio. To ensure we do our very best for every client, we concentrate our skills, abilities and capacities in two highly specialised business units: B.PRO Catering Solutions – Products and systems for professional commercial kitchens. ENOXX Engineering – Custom-made high-precision pieces using stainless steel, aluminium or synthetics for industry.

All business units of B.PRO hold DIN EN ISO9001:2015 certification, guaranteeing a high standard of reliability and customer orientation.

B.PRO GmbH
B.PRO Catering Solutions
P.O. Box 13 10
75033 Oberderdingen
Germany
Phone +49 7045 44-81900
catering.export@bpro-solutions.com
www.bpro-solutions.com

B.PRO
CATERING SOLUTIONS